



# Pep® Elektrolyt

## Dietetic feed

### For piglets with diarrhoea

#### Content guarantee:

Crude protein	0%
Crude fat	0%
Fibre	0%
Crude ash	28.0%
Sodium	8.8%
Potassium	3.0%
Chloride	9.9%

**Ingredients:** Glucose (dextrose), sodium bicarbonate, feed salts (sodium chloride), potassium chloride

#### Instructions for use:

Preparation of Electrolyte solution:

1 measure (approx. 160 grams) **Pep® Elektrolyt** is dissolved in 5 litres warm (40 ° C) water. This concentration must be followed. Otherwise, the electrolyte solution can counteract instead.

Recommended time of use: 1-7 days

If no other feed is given: 1-3 days

#### Allocation:

Piglets with a risk of diarrhoea should be given the **Pep® Elektrolyt** solution from a clean trough or automat. The risk of diarrhoea is highest among piglets at the age of 3 weeks after weaning and for purchased piglets

In cases of diarrhoea, the piglets should have free access to the electrolyte solution

Allocate 1-5 litres of electrolyte per litter/day depending on group size and age of piglets

**Pep® Elektrolyt** should not be mixed together with milk replacer added acid





## Product information:

### Pep® Elektrolyt:

- Stabilises the fluid and electrolyte balance
- Contains mainly electrolytes and easily dissoluble carbohydrates.
- Is allocated when there is a risk of digestive problems for example diarrhoea

### Packaging:

Plastic can containing 15 kg

Measuring jug enclosed in the can

### Storage:

Dry and closed

(Should be carefully resealed after use)

### Durability:

24 month after production



#### Contact Mosegården

Phone: +45 9786 1966

Fax: +45 9786 1446

post@mosegarden.dk

#### Knud Erik Jensen

Product Responsible, pigs

+45 4098 0238

kej@mosegarden.dk

#### Morten Bredkjær

Product Consultant, pigs

+45 2185 1966

mb@mosegarden.dk

26.05.15